

**POWER SYSTEM OPERATION CORPORATION LIMITED**  
**NATIONAL LOAD DESPATCH CENTRE**  
**NEW DELHI**

Date of Reporting: 7-Dec-19  
System Reliability Indices Report for: 6-Dec-19

**Percentage (%) of times ATC was violated**

| S.No. | Corridor     | Number of Blocks Violated | Number of Hours Violated | %Violation |
|-------|--------------|---------------------------|--------------------------|------------|
| 1     | WR-NR        | 0                         | 0.00                     | 0.00       |
| 2     | ER-NR        | 0                         | 0.00                     | 0.00       |
| 3     | Import of NR | 0                         | 0.00                     | 0.00       |
| 4     | NEW-SR       | 0                         | 0.00                     | 0.00       |
| 5     | NER Import   | 0                         | 0.00                     | 0.00       |

**Percentage(%) of times (N-1) Criteria was violated**

| S.No. | Corridor     | Number of Blocks Violated | Number of Hours Violated | %Violation |
|-------|--------------|---------------------------|--------------------------|------------|
| 1     | WR-NR        | 0                         | 0.00                     | 0.00       |
| 2     | ER-NR        | 0                         | 0.00                     | 0.00       |
| 3     | Import of NR | 0                         | 0.00                     | 0.00       |
| 4     | NEW-SR       | 0                         | 0.00                     | 0.00       |
| 4     | NER Import   | 0                         | 0.00                     | 0.00       |

### Voltage Profile for the day of 06-Dec-2019

| Region           | Station                     | %age of time Voltage below 728/380 kV | %age of time Voltage between 728/380 kV & 800/420 kV | %age of time Voltage above 800/420 kV | Voltage deviation index (%age of time voltage is outside IEGC band) |
|------------------|-----------------------------|---------------------------------------|--|---------------------------------------|---|
| NR               | Agra                        | 0.00%                                 | 99.93%   | 0.07%                                 | 0.07%   |
|                  | Agra (Fatehabad)            | 0.00%                                 | 97.85%   | 2.15%                                 | 2.15%   |
|                  | Anpara-C                    | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Anpara-D                    | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Anta                        | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Ballia                      | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Bara                        | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Bhiwani                     | 0.00%                                 | 94.72%   | 5.28%                                 | 5.28%   |
|                  | Fatehpur                    | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Jhatikara                   | 0.00%                                 | 90.87%   | 9.13%                                 | 9.13%   |
|                  | Kanpur GIS                  | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Lucknow                     | 0.00%                                 | 94.31%   | 5.69%                                 | 5.69%   |
|                  | Lalitpur                    | 0.00%                                 | 99.93%   | 0.00%                                 | 0.00%   |
|                  | Meerut                      | 0.00%                                 | 97.99%   | 2.01%                                 | 2.01%   |
| Phagi            | 0.00%                       | 100.00%                               | 0.00%  | 0.00%                                 |   |
| Varanasi         | 0.00%                       | 100.00%                               | 0.00%  | 0.00%                                 |   |
| WR               | Akola                       | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Aurangabad                  | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Bhopal (BDTCL)              | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Bilaspur                    | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Bina                        | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Champa                      | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Gwalior                     | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Indore                      | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Koradi                      | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Pune                        | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Raigarh Pooling             | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Sasan                       | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Satna                       | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Seoni                       | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Sipat                       | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Solapur                     | 0.00%                                 | 80.42%   | 19.58%                                | 19.58%  |
|                  | Tamnar                      | 0.00%                                 | 99.86%   | 0.14%                                 | 0.14%   |
| Tirora           | 0.00%                       | 100.00%                               | 0.00%  | 0.00%                                 |   |
| Vadodara         | 0.00%                       | 100.00%                               | 0.00%  | 0.00%                                 |   |
| Vindhyachal PS   | 0.00%                       | 100.00%                               | 0.00%  | 0.00%                                 |   |
| Wardha           | 0.00%                       | 100.00%                               | 0.00%  | 0.00%                                 |   |
| SR               | Kurnool                     | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Nellore PS                  | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Raichur                     | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Nizamabad                   | 0.00%                                 | 92.10%   | 7.90%                                 | 7.90%   |
|                  | Srikakulam                  | 0.00%                                 | 99.44%   | 0.56%                                 | 0.56%   |
|                  | Thiruvalam                  | 0.00%                                 | 99.44%   | 0.56%                                 | 0.56%   |
| Vemagiri         | 0.00%                       | 100.00%                               | 0.00%  | 0.00%                                 |   |
| ER               | Angul                       | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Gaya                        | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Jharsuguda                  | 0.00%                                 | 83.89%   | 16.11%                                | 16.11%  |
|                  | Ranchi                      | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
| Sasaram          | 0.00%                       | 100.00%                               | 0.00%  | 0.00%                                 |   |
| NER              | Balipara (400 kV)           | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Bongaigaon (400 kV)         | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Palatana (400 kV)           | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Misa (400 kV)               | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
|                  | Biswanath Chariali (400 kV) | 0.00%                                 | 100.00%  | 0.00%                                 | 0.00%   |
| Silchar (400 kV) | 0.00%                       | 100.00%                               | 0.00%  | 0.00%                                 |   |

Remarks: Unless otherwise specified, station may be treated as 765kV S/S.