




POWER SYSTEM OPERATION CORPORATION LIMITED
NATIONAL LOAD DESPATCH CENTRE NEW DELHI

HISSAR:Frequency

National Grid Frequency Profile for

06-Mar-16



<49.2	<49.7	<49.90	<49.97	49.7-49.8	49.8-49.9	49.9-50.0	50.0-50.1	50.1-50.2	49.90-50.05	49.7-50.2	49.97-50.03	50.05-50.1	>50	>50.03	>50.05	>50.2
0	0.00	4.17	25.46	0.36	3.81	39.83	50.61	5.36	71.11	99.97	38.39	19.41	55.93	36.15	24.72	0.03

Average Frequency	50.01	Frequency Variation Index :	0.037	Standard Deviation :	0.060
--------------------------	--------------	------------------------------------	--------------	-----------------------------	--------------

Instantaneous Frequency		
Max	50.21	17:02:10
Min	49.76	6:50:50

15 minute average Frequency		
Max	50.087	14:15:00
Min	49.880	7:00:00

No. of excursion above 50.03 Hz	156
No. of excursion below 49.97 Hz	127
No. of excursion above 50.00 Hz	183
No. of excursion below 50.00 Hz	186

Average time freq remains below 49.97 per excursion	0:02:53	Average time frequency remains above 50.03 per excursion	0:03:20
---	---------	--	---------