




POWER SYSTEM OPERATION CORPORATION LIMITED
NATIONAL LOAD DESPATCH CENTRE NEW DELHI

HISSAR:Frequency

National Grid Frequency Profile for

28-May-15



<49.2	<49.7	<49.90	<49.97	49.7-49.8	49.8-49.9	49.9-50.0	50.0-50.1	50.1-50.2	49.90-50.05	49.7-50.2	49.97-50.03	50.05-50.1	>50	>50.03	>50.05	>50.2
0	2.74	46.45	66.97	12.05	31.66	30.88	20.57	1.59	46.12	96.74	20.17	5.36	22.64	12.86	7.43	0.52

Average Frequency	49.91	Frequency Variation Index :	0.192	Standard Deviation :	0.106
--------------------------	--------------	------------------------------------	--------------	-----------------------------	--------------

Instantaneous Frequency		
Max	50.3	18:04:00
Min	49.57	15:09:40

15 minute average Frequency		
Max	50.201	18:15:00
Min	49.681	19:45:00

No. of excursion above 50.03 Hz	71
No. of excursion below 49.97 Hz	72
No. of excursion above 50.00 Hz	68
No. of excursion below 50.00 Hz	69

Average time freq remains below 49.97 per excursion	0:13:24	Average time frequency remains above 50.03 per excursion	0:02:36
--	----------------	---	----------------