




**POWER SYSTEM OPERATION CORPORATION LIMITED**  
NATIONAL LOAD DESPATCH CENTRE NEW DELHI

DURGAPUR:Frequency

National Grid Frequency Profile for 07-May-17



<49.2	<49.7	<49.90	<49.97	49.7-49.8	49.8-49.9	49.9-50.0	50.0-50.1	50.1-50.2	49.90-50.05	49.7-50.2	49.97-50.03	50.05-50.1	>50	>50.03	>50.05	>50.2
0	0.00	5.72	34.42	0.00	5.72	47.26	42.12	4.34	74.86	99.43	35.54	14.57	46.99	30.03	19.42	0.57

<b>Average Frequency</b>	<b>50.00</b>	<b>Frequency Variation Index :</b>	<b>0.042</b>	<b>Standard Deviation :</b>	<b>0.065</b>
--------------------------	--------------	------------------------------------	--------------	-----------------------------	--------------

<b>Instantaneous Frequency</b>		
<b>Max</b>	<b>50.3</b>	<b>18:03:30</b>
<b>Min</b>	<b>49.81</b>	<b>19:14:50</b>

<b>15 minute average Frequency</b>		
<b>Max</b>	<b>50.196</b>	<b>18:15:00</b>
<b>Min</b>	<b>49.860</b>	<b>19:30:00</b>

<b>No. of excursion above 50.03 Hz</b>	<b>133</b>
<b>No. of excursion below 49.97 Hz</b>	<b>134</b>
<b>No. of excursion above 50.00 Hz</b>	<b>134</b>
<b>No. of excursion below 50.00 Hz</b>	<b>135</b>

<b>Average time freq remains below 49.97 per excursion</b>	<b>0:03:42</b>	<b>Average time frequency remains above 50.03 per excursion</b>	<b>0:03:15</b>
--	----------------	---	----------------